REMARKS

Claims 1, 3, 7, 8, and 14-17 are pending in this application. Non-elected claims 7 and 8 have been withdrawn from consideration by the Examiner. By this Amendment, claims 7 and 15 are amended and claims 4-6 and 9-13 are canceled. Support for the amendments to the claims may be found, for example, in the specification. No new matter is added.

Entry of the amendments is proper under 37 CFR §1.116 because the amendments:

(a) place the application in condition for allowance (for the reasons discussed herein); (b) do not raise any new issue requiring further search and/or consideration (as the amendments amplify issues previously discussed throughout prosecution); (c) satisfy a requirement of form asserted in the previous Office Action; (d) do not present any additional claims without canceling a corresponding number of finally rejected claims; and (e) place the application in better form for appeal, should an appeal be necessary. The amendments are necessary and were not earlier presented because they are made in response to arguments raised in the final rejection. Applicants respectfully request entry of the amendments.

In view of the foregoing amendments and following remarks, Applicants respectfully request reconsideration and allowance.

I. Claim Objection

The Office Action objects to claim 15 for an informality. Claim 15 is amended in light of the Examiner's helpful suggestion. Accordingly, Applicants respectfully request reconsideration and withdrawal of the objection.

II. Rejection under 35 U.S.C. §112, Second Paragraph

The Office Action rejects claim 15 as being indefinite under 35 U.S.C. §112, second paragraph. By this Amendment, claim 15 is amended in light of the Examiner's comments.

Accordingly, Applicants respectfully request reconsideration and withdrawal of the rejection.

III. <u>Double Patenting</u>

The Office Action objects to claim 9 as being a substantial duplicate of claim 3. By this Amendment, claim 9 is canceled, rendering its objection moot.

IV. Rejection Under 35 U.S.C. §103

The Office Action rejects claims 1, 3, 9, and 14-17 under 35 U.S.C. §103(a) over U.S. Patent No. 6,941,572 to Horie et al. ("Horie") in view of U.S. Patent No. 6,337,060 to Hiraki et al. ("Hiraki") as evidenced by Perry's Handbook of Chemistry ("Perry's"). By this Amendment, claim 9 is canceled, rendering its rejection moot. As to the remaining claims, Applicants respectfully traverse the rejection.

The combination does not teach or suggest, or establish a reason or rational for providing "an amine substance having a boiling point of 50°C or higher and 300°C or lower" as claimed.

Horie discloses a suspension that includes tetramethylammonium hydroxide. Horie does not disclose any other amine substance dispersed in the suspension containing fine diamond particles. The Office Action asserts that tetramethylammonium hydroxide has a boiling point within the claimed range. *See* Office Action at page 5 and Perry's, MSDS Number: T1816 at "9. Physical and Chemical Properties". However, tetramethylammonium hydroxide decomposes to trimethylamine and CH₃OH upon distillation and, thus, tetramethylammonium hydroxide does not have a boiling point. *See* Tetramethylammonium hydroxide, The Merck Index, 7th Ed., page 1025 (submitted herewith). Thus, MSDS number T1816 describes the properties of tetramethylammonium hydroxide dissolved in methanol (20% solution). *See* Perry's, MSDS Number: T1816 at "1. Product Identification." Because tetramethylammonium hydroxide decomposes upon distillation, the listed 60 to 65°C represents the boiling point of the methanol, not the actual boiling point of tetramethylammonium hydroxide.

Horie does not teach or suggest "an amine substance having a boiling point of 50°C or higher and 300°C or lower" as claimed. Hiraki and Perry's does not cure at least this deficiency.

Claim 1 would not have been rendered obvious by the combination of applied references. Claims 3 and 14-17 depend from claim 1 and, thus, also would not have been rendered obvious by the applied references. Accordingly, Applicants respectfully request reconsideration and withdrawal of the rejection.

V. Rejoinder

Applicants also respectfully request rejoinder of non-elected method claims 7 and 8. Where product and process claims are presented in the same application, Applicants may be called upon under 35 U.S.C. §121 to elect claims to either the product or process. MPEP §821.04. However, in the case of an elected product claim, rejoinder will be permitted when a product claim is found allowable and the withdrawn process claim depends from or otherwise includes all the limitations of an allowed product claim. *Id.* Because process claims 7 and 8 include all the limitations of product claim 1, process claims 7 and 8 must be rejoined with the product claims when the product claims are found allowable. Because the product claims are believed to be allowable for at least the reasons presented above, Applicants respectfully request withdrawal of the Restriction Requirement and rejoinder of claims 7 and 8.

VI. Conclusion

In view of the foregoing, Applicants respectfully submit that this application is in condition for allowance. Applicants earnestly solicit favorable reconsideration and prompt allowance of the application.

Should the Examiner believe that anything further would be desirable to place this application in even better condition for allowance, the Examiner is invited to contact the undersigned at the telephone number set forth below.

Respectfully submitted,

James A. Oliff

Registration No. 27,075

Ryan R. Brady

Registration No. 62,746

JAO:RRB/rrb

Attachment:

The Merck Index, 7th Ed., page 1025

Date: July 17, 2009

OLIFF & BERRIDGE, PLC P.O. Box 320850 Alexandria, Virginia 22320-4850 Telephone: (703) 836-6400 DEPOSIT ACCOUNT USE
AUTHORIZATION
Please grant any extension
necessary for entry;
Charge any fee due to our
Deposit Account No. 15-0461

SEVENTH EDITION

THE MERCK INDEX

OF
CHEMICALS AND DRUGS

AN ENCYCLOPEDIA FOR CHEMISTS, PHARMACISTS, PHYSICIANS, AND MEMBERS OF ALLIED PROFESSIONS

nol. pd.

hol

211 'ope in iem.

any

e to

inst Ca. 8%.

OR °0H

the ; of

drozine 3N2 5, N wdi-

wrp-5.5); uble orm. scln.:

beyc ps of ลลล city: rdia, ction arge

oung vun.

dide; C2L4; wline and

crys. luble

hanzene, chloroform, telucue, carbon disulfide, slightly in other. Protect from light.

Med. Use: Has been recommended as a surgical dusting powder and as an antiseptic ointment.

1,2,3,4-Tetrahydronaphthalene; Tetranap. CieHi2; mol. wt. 132.20. C 90.85%, H 9.15%, Prepd. by catalytic hydrogenation of purified naphthalene. See ref. under Decalin.

Liquid. Odor resembling that of mixture of henzene and menthol. di 0.9702; d45 0.9662. Volatile with steam;

-31.0°; b₇₈₀ 207.2°; b₄₀₀ 181.8°; b₂₀₀ 157.2°; b₁₈₀ 135.3°; b₁₀ 121.3°; b₁₀ 110.4°; b₂₀ 93.8°; b₁₀ 79.0°; b₅ 65.3°; b₁₀ 38.0°, n²⁰ 1.54135; n²⁵ 1.53919. Flashpoint, open cup 171°F (77°C), closed cup 180°F (82°C). Insoluble in water; miscible with ethanol, butanol, acetone, benzene, ether, chloroform, petr. ether, Decalin; soluble in methanol: 50.6% w/w. Prolonged, intimate contact with air may cause the forms. of tetralin peroxide which may cause explosion of tetralin distn. residues. Peroxide formn. is prevented by the addn. of an antioxidant, such as hydroquinone. LDso orally in rats: 2.86 g./kg.

Use: Degreasing agent. Solvent for naphthalene, fats, resins, oils, waxes, used instead of turpentine in lacquers, sheepolishes, floorwaxes.

Human Toxicity: May be irritating to skin, eyes and mucous membranes and, in high concentrations, narcotic. In experimental animals has produced cataracts and kidney injury.

Teiralel. Reported to be 1,2,3,4-tetrahydro-β-naphthol. LDee orally in rats: 1.0 ml.

Tetram®. O,O-Diethyl S-(β-diethylamino)ethyl phosphorothiolate; O,O-diethyl S-2-diethylaminoethyl phosphorothiolate; (2-diethylamino)ethylphosphorothioic acid NO₃PS; mol. wt. 269.35. C 44.59%, H 8.98%, N NO₃PS; mol. wt. 269.35. C 44.59%, H 8.98%, N 5.20%, O 17.82%, P 11.50%, S 11.91%. Prepn.: Ghosh. Newman, Chemistry & Industry 1955, 118; Fukuto, Stafford, J. Am. Chem. Soc. 79, 6083 (1957).

Liquid. bo.2 110°. np

Used as the acid oxalate (hydrogen nxalate), Cu-

H24NO3PS.C2H2O4, crystals from isopropanol + ether, m. 98-99°.

Use: Contact insecticide, milicide.

Tetramethylammonium Hydroxide. (CH1), N.OH; mol. wt. 91.15. C.HaNO; C 52.70%, H 14.38%, N 15.87%, 0 17.55%.

Usually marketed in 10% aq, soln. Strong ammonia-like odor. d_4^{25} about 1.00. The free base is known only in soln, or as a solid pentahydrate, forming colorless, deliquese, needles melting at 63°. On distillation, it decomposes to trimethylamine and CH₁OH. It is a very strong base, readily absorbing CO, from the air. Keep mell closed.

Tetramethylammonium Iodide. (CH₈)₄.NI; mol. wt. 201.06. C₄H₁₂IN; C 23.89%, H 6.02%, I 63.14%, N 6.97%

Pale-yellow crystals. Begins to decompose at about d. 1.84. Sparingly soluble in water, freely in absolute alcohol; insoluble in chloroform, ether.

Med. Use: Emergency disinfection of drinking water. Required dosage: 8 p.p.m. of iodine.

Tetramethyldiaminobutane. (CII₂)₂N.CH₂.CH₃.CH₃.-CH₂N(CH₂)₂; mol. wt. 144.26. C₂H₂₂N₂; C 66.60%, H 13.98%, N 19.42%. From root and herb of *Hyos*cyamus reticulatus L. and H. muticus L., Solanaceae.

White crystals; penetrating odor and sharp, scratching taste. b. 169°. Soluble in water, alcohol, ether.

Ref. Konowalowa, Magidson, Arch. Pharm. 266, 449 (1928).

4,4'-Tetramethyldiaminodiphenylmethane. Tetra-base. C₁₇H₂₂N₂₁ mol. wt. 254.36. C 80.27%, H 8.72%, N 11.01%. Made by heating dimethylaniline with 40% formaldchyde and concentr. HCl.

$$H_3C$$
 CH_2
 CH_3
 CH_3

White to bluish-white, lustrous leaflets; sublimes without decomposition. m. 90-91°. b. 390°. Insoluble in water; soluble in benzene, ether, carbon disulfide. acids; slightly soluble in cold alcohol, more soluble in hot alcohol.

Use: In the form of the hydrochloride as a reagent for lead.

1,1,3,3-Tetramethyl-1,3-diphenyldisiloxane. C16H22OSi2; mol. wt. 286.53. C 67.08%, H 7.74%, O 5.59%, Si 19.59%. Prepared by hydrolyzing dimethylphenylchlorosilane and dimethylphenylbromosilane in iced water: Lewis, J. Am. Chem. Soc. 70, 1115-1117 (1948).

Liquid; d_4^{20} 0.9763; b, 110-111°; n_D^{20} 1.5122.

Tetramethylenedisulfotetramine. 2.6-Dithia-1,3,5,7-tetra-NHo, and formaldehyde in 60% Ho-SO4: Hecht, Henecka, Angew. Chem. 61, 365 (1949).

Cubic crystals from acetone, decomp. 255-260°. Violent convulsive poison! Stable to acids and alkalies in dilutions up to 0.1 N. Decomp, upon prolonged boiling of aq. solns. Solubility in water about 0.25 mg./ml. Slightly soluble in acetone. Insoluble in methanol, ethanol.

lise: Experimental poison. Lethal dose for mice 0.20 mg./kg. orally or subcutaneously: Hagen, Deut. med. Wochschr. 75, 183 (1950).

Tetramethyl-p-phenylenediamine. Wurster's reagent. (CH₄)₂N.C₆H₄N(CH₄)₂; mol. wt. 164.24. C₁₀H₁₆N₂; C 73.12%, H 9.82%, N 17.06%.

Leaflets. m. 51°. b. 260°. Slightly soluble in cold water; more soluble in hot water; freely soluble in alcohol, chloroform, ether, petrol. ether.

Use: In the form of the hydrochloride as a reagent in anal, chemistry.

ABOUT THE PUBLISHER

MERCK & Co., Inc. has been a pre-eminent manufacturer of fine and medicinal chemicals and quality pharmaceuticals for well over half a century. Throughout its history the company has placed unusually heavy emphasis on research. The result has been a long procession of new drugs and chemicals, many of which have reduced dramatically—and some of which have eliminated—ancient scourges of mankind.

THE MERCK INDEX, reflecting the company's fine reputation, has been accepted since 1889, through six editions, as an incomparable reference source in chemistry. The 1960 edition is now presented as a tool for continuing research.

THE MERCK INDEX is sold without profit as a public service to those interested in chemistry, medicine and related sciences.

MERCK & Co., INC.